



Lifetime
Warranty

INTRODUCING A NEW
ALUMINUM RAILING SYSTEM



Aluminum Railing Systems




Secondary Handrail




Strong, stylish and built to last.
 Made entirely in the U.S.A.

Baluster Options

Standard Colors




Special Order Colors




Design Accessories

- for 3/4" balusters.
- Mounting screws included
 - Available in all standard colors
 - Cast aluminum
 - Powder coated



Available in all standard colors

Railing Profiles



Unique full length PVC inserts in both the top and bottom rails allow a faster, "screwless" assembly and create a tight, quiet fit.



Table of Contents

Railing Profiles & Baluster Options	2
Design Accessories	2
Scranton 6' & 8' Railing	4
Raven 6' & 8' Railing	5
Tioga 6' & 8' Railing	6
Hartford 6' & 8' Railing	7
Dover 6' & 8' Railing	8
Eagle 6' x 8' Railing	9
Miami (4" Belly) Railing	10-11
Bethany (6" Belly) Railing	10-11
Alpine (4" Hammered Belly) Railing	10-11
Princeton (6' Hammered Belly) Railing	10-11
Glass Railing	12
Curved Railing Section	13
Pittsburgh Porch Post	14
Post Brackets, Post & Cap Options	15
Gates & Hardware	16
Brackets & Accessories	17
Round & Decorative Secondary Handrail	18-19

The Choice is Simple



- Both materials and fabrication are made in the USA
- Virtually maintenance-free with a superior lifetime warranty
- Lasting weather resistant textured powder coating finish
- Heavy wall, extruded aluminum railing sold in boxed sections
- Full complement of easy to install brackets
- Currently available in 36" and 42" heights and 6' and 8' lengths
- Step railing can be installed at 32°-36° using the standard step bracket
- Optional universal step brackets are available

Boxed Railing Sections

Boxed Railing Sections Include:

- Top rail, bottom rail, balusters, mounting brackets and hardware.
- Brackets to mount on straight runs or step railing.
- Available in 6' and 8' sections, 36" or 42" high.
- Also available in 6' and 8' step sections (32° to 36°).
- Installation instructions are included.



Lifetime Warranty

All American™ railing, posts, brackets, and connectors are warranted against failure of either the materials used, or the manufacturing process, for life. This warranty does not include slight changes in coloration due to the natural aging process. It also does not include any damage or failure due to misuse or abuse.

All 6' American Railing Sections are tested in accordance with the IBC 2009, International Building Code and the IRC 2009, International Residential Code.

Scranton Railing



Scranton (square)

*Beauty and strength
combine to provide
elegant, lasting appeal.*



Raven Railing



Raven (round)

Tioga Railing



Tioga (twisted)



Impressive. Make a bold statement with alternating balusters.

Hartford Railing



**Hartford
(hammered)**



Dover Railing



Dover
(decorative round)



Eagle Railing



**Eagle
(hammered
& twisted)**





Alpine Series
4" Hammered
Belly Picket



Miami Series
4" Belly Picket



Princeton Series
6" Hammered
Belly Picket



Bethany Series
6" Belly Picket





Alpine Railing

Princeton Railing

Miami Railing

Bethany Railing

Glass Railing



Glass



***S**tunning and sophisticated.
Create a unique design that
is both radiant and strong.*

Curved Railing



Curved


Custom radiuses can be fabricated to your specifications.
Minimum radius 24°



Pittsburgh Porch Post



Mounting Brackets
Included with porch posts



**Aluminum Round Column
Trim/Mounting Bracket**
7½" x 7½"


Trim Ring
All standard colors




3/4"



4"



3/4" x 3/4" x 108"



4" x 4" x 108"



6" x 6" x 108"

Post Brackets



2½", 3¼" and 4" newel posts can be purchased with mounting plates welded to the bottom for secure installations.




Cross Over Adapter
Enables standard toprail to be installed on top of newel posts.
Available in 3¼" and 2½" sizes.



Solar Light or Low Voltage Light
2½" or 4"
Black or Bronze or White

Post Cap Options



Newel Posts and Side Mount Brackets
Available in 2½", 3¼" and 4" posts.

Gates & Hardware



18" & 24" Gate Drop Pin Latch



Optional Gate Handle
approx. 5" high




Drop Pin Plate




Regular Multi-Adjust Hinge
Available in regular or heavy duty
approx. 3¾" high



Self-Closing Gate Hinges
Available in regular or heavy duty
approx. 3¾" high



Lockable Gate Latch
approx. 6" high



Optional Kit
External Access Kit
Lockable Push-Button operates latch
from outside the fence.



Brackets

BRACKETS AND ACCESSORIES



Brackets are available for not only straight and 32° to 36° step sections, but 45° corners, 22½° angle, swivel mounts and unusual step installations as well.



Straight Top & Bottom Brackets
set of 4 (2 each)



32° to 36° Step Top & Bottom Brackets
set of 4 (2 each)




22½° Top & Bottom Brackets
set of 4 (2 each)



45° Top & Bottom Bracket Adaptors
set of 4 (2 each)



Round Column Adaptor Kit
for 6"-8" round columns. Used with brackets that are supplied with sections.



Railing Section Support



Spray Paint Can
All standard colors




Swivel Top & Bottom Brackets
set of 4 (2 each)



Universal (Any Degree) Step Brackets
set of 4

Secondary Handrail



All components are available for any installation.



*Tioga
Black*

Secondary Handrail


ROUND & DECORATIVE HANDRAIL



1 1/2" Standard Mounting Bracket



5° Radius Elbow




34° Radius Elbow



90° Radius Elbow



1 1/2" Round Handrail
104" long



1 1/2" Connector



1 1/2" Outside Elbow



1 1/2" End Cap




6" Corner Mounting Bracket



1 1/2" Straight Wall Mount



1 1/2" 90° Return Bracket



"P" Loop Return

Decorative



2" Decorative Handrail
104" Long



2" Connector



2" End Cap



2" Standard Mounting Bracket

Photo Gallery



Your Dealer is:



Key-Link

Fencing & Railing, Inc.

an affiliate of Superior Plastic Products, Inc.

Quality, Our Key Link To Serving You!

150 Orlan Road • New Holland, PA 17557

888-704-7130 • Fax: 717-355-7139

www.keylinkfencing.com